

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/623,775	09/08/2000	Herbert Heiss	P001566	7968		
75	90 10/26/2005		EXAMINER			
FISH & RICHARDSON PC 225 FRANKLIN ST			HAN, CLEMENCE S			
BOSTON, MA	· - -	•	ART UNIT	PAPER NUMBER		
•			2668			
			DATE MAIL ED. 10/26/2006	DATE MAIL ED. 10/26/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

					W/			
		Applicatio	n No.	Applicant(s)	<i>\7</i>			
Office Action Summary		09/623,77	5	HEISS ET AL.				
		Examiner		Art Unit				
		Clemence	Han	2668				
Period fo	The MAILING DATE of this communication app or Reply	pears on the	cover sheet with	the correspondence add	ress			
A SH THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1: SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no ever y within the statu will apply and will o, cause the appli	nt, however, may a reply fory minimum of thirty (3 expire SIX (6) MONTHS cation to become ABAN	be timely filed O) days will be considered timely S from the mailing date of this co DONED (35 U.S.C. § 133).				
		2001						
1)⊠			n final	•				
2a)⊠ 3)□	This action is FINAL . 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
ت (د	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims		,	.,				
4)⊠ 5)□ 6)⊠ 7)□ 8)□	4) Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-8 is/are rejected. 7) Claim(s) is/are objected to.							
Applicat	ion Papers							
·	The specification is objected to by the Examine	_						
10)	The drawing(s) filed on is/are: a) acc	•	-					
	Applicant may not request that any objection to the		=		D 4 404/4)			
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex							
Priority	under 35 U.S.C. § 119							
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureausee the attached detailed Office action for a list	ts have beer ts have beer rity docume u (PCT Rule	n received. n received in App nts have been re e 17.2(a)).	lication No ceived in this National	Stage			
Attachmer	nt(s)							
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)			nmary (PTO-413) Iail Date				
3) Infor	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date)		mal Patent Application (PTC	-152)			

Application/Control Number: 09/623,775 Page 2

Art Unit: 2668

DETAILED ACTION

Response to Amendment

- 1. Responsive to amendment received on May 7, 2004, amended claims 1–6 and 8 are entered as requested.
- 2. Responsive to supplemental amendment received on June 22, 2004, amended claims 2, 4 and 6 are entered as requested

Claim Objections

3. Claim 2 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

The limitation of removing ATM cells from the frame beginning farthest toward a back of the waiting list is already claimed in claim 1.

Claim Rejections - 35 USC § 102

- 4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 5. Claim 1-5 and 8 are rejected under 35 U.S.C. 102(e) as being anticipated by Lyon et al. (U.S. Patent 6,151,299).

Art Unit: 2668

In regarding to claim 1, Lyon teaches a method for removing ATM cells 46 from a frame in a waiting list (Figure 2b), comprising: storing a frame start identifier that identifies an ATM cell 50 in the waiting list that precedes a first ATM cell 46 of the frame 42 (Column 6 Line 1); and calling the frame start identifier before removal of the ATM cell of the frame (Column 5 Line 35 – 38); wherein the frame begins farthest toward a back of the waiting list (Column 4 Line 56–62).

In regarding to claim 2, Lyon teaches removing ATM cells from the frame beginning farthest toward a back of the waiting list (Column 4 Line 56–62).

In regarding to claim 3, Lyon teaches removing following ATM cells of the frame up to and including a last ATM cell of the frame upon arrival or following arrival at the waiting list (Column 3 Line 53 - 56).

In regarding to claim 4, Lyon teaches the first ATM cell 46 of the frame 42 immediately preceded by a last ATM cell 50 of a different frame 40, and further comprising: referencing the last ATM cell by the frame start identifier (Column 6 Line 1).

In regarding to claim 5, Lyon teaches the first ATM cell of the frame immediately preceded by an individual ATM cell not allocated to a frame, and

Application/Control Number: 09/623,775

Art Unit: 2668

further comprising: referencing the individual ATM cell by the frame start identifier (Figure 3b).

In regarding to claim 8, Lyon teaches performing a check at or following attaching of an arrived ATM cell to an end of the waiting list to see whether the arrived ATM cell is a last cell of a frame (Column 5 Line 66 - 67); and as warranted, storing a value that references the arriving ATM cell as the frame start identifier (Column 6 Line 1 - 2); wherein the ATM cells of the appertaining frame cannot be removed from the waiting list.

Claim Rejections - 35 USC § 103

- 6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 7. Claim 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyon et al. in view of Caldara et al. (U.S. Patent 5,822,540)..

In regarding to claim 6, Lyon teaches a method for removing ATM cells 46 from a frame in a waiting list (Figure 2b), wherein the frame begins farthest toward a back of the waiting list (Column 4 Line 56–62). Lyon, however, does not teach storing a predetermined inhibit value so that the ATM cells of the frame cannot be removed from the waiting list when the first ATM cell of the frame is followed in the waiting list by an individual ATM cell not allocated to any frame. Caldara

teaches storing a predetermined inhibit value so that the ATM cells of the frame cannot be removed from the waiting list when the first ATM cell of the frame is followed in the waiting list by an individual ATM cell not allocated to any frame (Column 3 Line 66 – Column 4 Line 5). It would have been obvious to one skilled in the art to modify Lyon to inhibit the removal of the individual ATM cell not allocated to any frame as taught by Caldara in order to keep the ATM cells important to the system operation.

In regarding to claim 7, Caldara teaches the predetermined inhibit value stored at least one of upon arrival of the individual ATM cell at the waiting list and when the individual ATM cell is added to the waiting list (step 26 in Figure 2).

Response to Arguments

8. Applicant's arguments filed on May 7, 2004 have been fully considered but they are not persuasive.

The applicant argues, regarding claim 1, that Lyon does not disclose or suggest that the frame begins farthest toward a back of the waiting list (Page 5 Line 14–15 of the amendment).

Lyon, however, teaches specifying a threshold near the end of the buffer (Column 4 Line 56–59) which is toward a back of the waiting list and discarding cells once the buffer fill reaches the threshold (Column 4 Line 61–62). By Lyon's

Application/Control Number: 09/623,775

Art Unit: 2668

method, the frame where ATM cells are discarded will be the frame farthest toward a back of the waiting list not the frame closest to the front of the waiting list as the applicant argues (Page 5 Line 16–17).

Therefore, the examiner contends that Lyon teaches the limitations in the claim 1.

The applicant further argues, regarding claim 6, that neither Lyon nor Caldara disclose or suggest that the frame begins farthest toward a back of the waiting list (Page 6 of the amendment).

Lyon, however, teaches that the frame begins farthest toward a back of the waiting list as shown in the response to the argument on claim 1.

Therefore, the examiner contends that Lyon teaches the limitations in the claim 6.

9. The examiner directs the applicant's attention to possible typographical errors in the remarks filed on May 7, 2004.

On page 5 Line 13–14, there is "claim 23". However, the application has only claim 1–8.

On page 6 Line 8–9, there is "claim 23". However, the application has only claim 1–8.

Art Unit: 2668

Conclusion

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clemence Han whose telephone number is (571) 272-3158. The examiner can normally be reached on Monday-Thursday 7 - 5.

Application/Control Number: 09/623,775

Art Unit: 2668

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on (571) 272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C, H, Clemence Han Examiner Art Unit 2668 Page 8

STEVEN NGUYEN BRIMARY EXAMINER